## Sequence Listing

<110> Arkray, Inc.

 $\langle 120 \rangle$  Method of detecting or quantitatively determining mitochondorial DNA 3243 variation, and kit therefor

<130> G873-OPC4052

<150> JP 2003-111173

<151> 2003-04-16

<150> JP 2003-114382

<151> 2003-04-18

<160> .22

⟨210⟩ 1

<211> 500

<212> DNA

<213> Homo sapiens

⟨220⟩

<221> allele

〈222〉 243

<400> 1

ggacatcccg a	tggtgcagc	cgctattaaa	ggttcgtttg	ttcaacgatt	aaagtcctac	60
gtgatctgag t	tcagaccgg	agtaatccag	gtcggtttct	${\tt atctaccttc}$	aaattcctcc	120
ctgtacgaaa g	gacaagaga	aataaggcct	acttcacaaa	${\tt gcgccttccc}$	ccgtaaatga	180
tatcatctca a	cttagtatt	atacccacac	ccacccaaga	acagggtttg	ttaagatggc	240
agagcccggt a	atcgcataa	aacttaaaac	tttacagtca	gaggttcaat	tcctcttctt	300
aacaacatac co	catggccaa	cctcctactc	${\tt ctcattgtac}$	ccattctaat	cgcaatggca	360
ttcctaatgc t	taccgaacg	aaaaattcta	ggctatatac	aactacgcaa	aggccccaac	420
gtggtaggcc co	ctacgggct	actacaaccc	${\tt ttcgctgacg}$	ccataaaact	cttcaccaaa	480
gagecectaa aa	accegecae					500

<210> 2

<211> 500

<212> DNA

<213> Homo sapiens

<220>

```
⟨221⟩ allele
⟨222⟩ 243
<400> 2
ggacatcccg atggtgcagc cgctattaaa ggttcgtttg ttcaacgatt aaagtcctac
                                                                     60
gtgatctgag ttcagaccgg agtaatccag gtcggtttct atctaccttc aaattcctcc
                                                                    120
                                                                    180
ctgtacgaaa ggacaagaga aataaggcct acttcacaaa gcgccttccc ccgtaaatga
                                                                    240
tatcatctca acttagtatt atacccacac ccacccaaga acagggtttg ttaagatggc
agggcccggt aatcgcataa aacttaaaac tttacagtca gaggttcaat tcctcttctt
                                                                    300
aacaacatac ccatggccaa cctcctactc ctcattgtac ccattctaat cgcaatggca
                                                                    360
                                                                    420
ttcctaatgc ttaccgaacg aaaaattcta ggctatatac aactacgcaa aggccccaac
                                                                    480
gtggtaggcc cctacgggct actacaaccc ttcgctgacg ccataaaact cttcaccaaa
                                                                    500
gagcccctaa aacccgccac
⟨210⟩ 3
⟨211⟩
      24
<212>
      DNA
〈213〉
      Artificial Sequence
<220>
⟨223⟩
      primer
⟨400⟩ 3
                                                                     24
ctcaacttag tattataccc acac
⟨210⟩ 4
(211) 19
<212>
      DNA
      Artificial Sequence
〈213〉
<220>
〈223〉
      primer
<400> 4
                                                                     19
ttttatgcga ttaccgggc
<210> 5
(211) 16
〈212〉
      DNA
〈213〉
      Artificial Sequence
<220>
<223> primer
```

<400> ^	• 5	
atgcga	ttac cgggcc	16
⟨210⟩	6	
⟨211⟩	23	
<212>	DNA	
⟨213⟩	Artificial Sequence	
<220>		
<223>	probe	•
<400>	6	
cagggt	ttgt taagatggca ggg	23
<210>	7	
<211>	24	
<212>	DNA	
<213>	Artificial Sequence	
<220>	•	
<223>	probe	
< <b>400</b> >	7	
ccaaga	acag ggtttgttaa gatg	24
<210>	8	
<211>	26	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	probe	
	8	0.0
ccaagaa	acag ggtttgttaa gatggc	26
(010)		
⟨210⟩	9	
(211)	28	
(212)	DNA .	
(213)	Artificial Sequence	
〈220〉		

<223>	probe	
<400>	9	
	acag ggtttgttaa gatggcag	28
oouugu		
⟨210⟩	10	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	probe	
<400>	10	
	agaa cagggtttgt taagatggca	30
·	agaa dagagaadaa dagaadaadaa	
•		
<210>	11	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer	
<400>	11	27
catete	aact tagtattata cccacac	21
<210>	12	·
<211>	22	
<212>		
	Artificial Sequence	
<220>		
<223>	primer	
<400>	12	
agagga	attg aacctctgac tg	22
<210>		
<211>		
<212>		
(213)	Artificial Sequence	

〈220〉		•		
	probe			
\2237	probe .			
	***			
<400>				
tttgtt	aaga tggcagggcc			20
<210>	14			
<211>	21			
<212>	DNA			
⟨213⟩				
(210)	M tilltelal bequence	•		
/00 <b>0</b> \				
⟨220⟩	,			
<223>	probe			
<400>	14			
tttgtt	aaga tggcagggcc c			21
<210>	15	•		
<211>	22			
<212>				
	Artificial Sequence			
	Artificial bequence			
/000°S		•		
⟨220⟩				
⟨223⟩	probe			
<400>	15		•	
gcgatt	accg ggccctgcca tc			22
	·	,		
⟨210⟩	16		•	
<211>	20			
<212>			•	
	Artificial Sequence			
\2107	Attitital bequence			
رموم)				
⟨220⟩	•	•		
〈223〉	probe			
<400>	16			
ccgggc	cctg ccatcttaac			20
<210>	17			
⟨211⟩	17			
(212)				

<213>	Artificial Sequence	
<220>		
<223>	probe	
<400>		
ttaaga	tggc agggccc	17
<210>	18	
<211>		
<212>		
	Artificial Sequence	
		:
<220>		
<223>	probe	
<b>&lt;400&gt;</b>	18	
	tggc agggcc	16
<210>		
⟨211⟩	20	
<212>		
<213>	Artificial Sequence	
⟨220⟩		
⟨223⟩	probe	
<400>	•	20
gattac	eggg ceetgecate	20
⟨210⟩	20	
<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
<b>/000</b> \	·	
<220> <223>	probe	
\660/	pi ooc	
<400>	20	
gcaggg	cccg gtaatc	16
(0.1.5)		
<210><211>		
くフェレン	I A	

<212>	DNA					
<213>	Artificial Sequence					
<220>						
⟨223⟩	probe					
<400>	21					
gggccc	tgcc atcttaac					18
<210> ·	22			•	,	
<211>	17		*			
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	probe					
<400>	22					•
ggccct	ggccctgcca tcttaac				17	